


- ***Do you ever hook up a trailer by yourself?***
- ***Are you tired of backing up multiple times to get lined up?***

If so, you need the



**Reel-Quik
Hitching System**
Hook up on the


First Try...Every Time!

Hitchrific® Products Company

#1 Mallard Point Cove

Little Rock, AR 72223

(501)821-0000 • hitchrific.com



Reel-Quik Hitch

Product Description


The **Reel-Quik Hitch** is designed to assist in the fast and safe hook-up of a trailer to the towing vehicle. The mechanism will extend the hitch ball rearward and adjust to position the ball directly beneath the trailer coupler. This allows hook-up to the ball in seconds.

Then, the patented **Reel-Quik** action will pull the ball and the attached trailer into the locked towing position. The **Reel-Quik Hitch** will save you time, eliminate frustration, and reduce the chance of backing into your trailer causing damage to your vehicle.

Hook-up your trailer — on the first try
— everytime!

The original PATENTED by Hitchrific

Reel-Quik Hitch  **hitchrific.com**
(501) 821-0000



Reel-Quik Hitch / HD

Specifications and Features of Original / HD

	Original Class III	HD Class IV
Towing Capacity		
Max. Gross Trailer Wt	6,000 lbs	10,000 lbs
Max. Tongue Weight	600 lbs	1,000 lbs

Hook-up Reach to Trailer

Max Ball reach is approximately 15" from left to right

Adjusts in any direction in any increment up to 15"

Ball Height Adjustment

Ball raise from center of Receiver

(3) positions, Center, +2", and +4"

Ball lower from center of Receiver

(3) positions, Center, -2", and -4"

Gross Weight

38lbs. Fully Assembled

42 lbs. Shipping Weight with Box

Features

- Quick change ball height (6 positions)
- Standard $\frac{1}{2}$ " socket drive for Reel Gear
- Fits in USPO Large Flat Rate Box for Low Cost Shipping
- Durable Powder Coat Finish with Rust Resistant Hardware